In re the Rule 53(b) Continuation Application of U.S. Serial No. 08/895,493 Makoto SAITO

Attorney Docket No. 990812A

line 12, insert; -- Figures 5A-5E illustrate structures of embodiments of the present

(A)

invention --.

## **IN THE SPECIFICATION**:

Amend the specification as follows:

Page 3, line 19, delete "fabricated" and insert --edited--.

RECEIVED

OCT 19 2000
TECH CENTER 2700

Page 4, line 3, delete "originally";

line 4, delete "generated as analog data, is" and insert - which are originally

03

analog data, are-.

Page 5, line 9, delete "copyright";

line 10, delete "control messages with copyright information" and insert -of

copyright information; ie., messages of copyright control, information about copyrights--.

Page 7, line 26, after "etc.", insert - Examples of these utilization forms as shown in Figs.

4A to 4E. Fig. 4A illustrates a case when supplied encrypted data is displayed. The encrypted data is decrypted by a display permit key, and the data thus decrypted is displayed. Fig. 4B illustrates a case when supplied encrypted data is edited. The encrypted data is decrypted by an edit permit key, and the data thus decrypted is displayed, and then editing is performed. Fig. 4C

24

In re the Rule 53(b) Continuation Application of U.S. Serial No. 08/895,493 Makoto SAITO

Attorney Docket No. 990812A

illustrates a case when supplied encrypted data is stored. The encrypted data is decrypted by a storage permit key, and the data thus decrypted is displayed, and then storing is performed. Fig. 4D illustrates a case when supplied encrypted data is copied. The encrypted data is decrypted by a copy permit key, and the data thus decrypted is displayed, and then copying is performed. Fig. 4E illustrates a case when supplied encrypted data is transferred. The encrypted data is decrypted by a transfer permit key, and the data thus decrypted is displayed, and then transfer is performed.

In these Figures, double-framed parts show that data is encrypted.

Page 8, line 14, delete "files";

line 14, after "by", insert -- one of--;

line 15, delete "encryption" and insert --crypt--;

line 15, delete "files are" and insert --is--;

line 16, delete "then";

line 16, delete "they are displayed or edited, for instance," and insert --it is

utilized--;

line 16, after "in" delete "a" and insert --the--.

Page 9, line 1, delete "displayed" and insert --displayed.--.

In re the Rule 53(b) Continuation Application of U.S. Serial No. 08/895,493 Makoto SAITO

Attorney Docket No. 990812A

Page 10, line 11, after "program", insert - These examples are shown in Figs. 5A to 5E.

Fig. 5A illustrates a case when supplied encrypted data is displayed. The encrypted data is decrypted by a display permit key, and the data thus decrypted is displayed. Fig. 5B illustrates a case when supplied encrypted data is edited. The encrypted data is decrypted by an edit permit key, and the data thus decrypted is displayed, and then editing is performed. Fig. 5C illustrates a case when supplied encrypted data is stored. The encrypted data is decrypted by a storage permit key, and the data thus decrypted is displayed, and then, the decrypted data is encrypted again by the storing permit key, and then storing is performed. Thus, the data encrypted again is stored. Fig. 5D illustrates a case when supplied encrypted data is copied. The encrypted data is decrypted by a copy permit key, and the data thus decrypted is displayed and then, the decrypted data is encrypted again by the copy permit key, and then copying is performed. Thus, the data encrypted again is copied. Fig. 5E illustrates a case when supplied encrypted data is transferred. The encrypted data is decrypted by a transfer permit key, and the data thus decrypted is displayed and then, the decrypted data is encrypted again by the transfer permit key, and then transfer is performed. Thus, the data encrypted again is transferred. In these Figures, double-

framed parts show that data is with encrypted. I-;

line 20, after "a", insert --crypt--;

line 26, after "copyright", insert --control--;

Page 15, line 30, after "methods", insert --for--;

30

1

```
In re the Rule 53(b) Continuation
Application of
U.S. Serial No. 08/895,493
Makoto SAITO
```

Attorney Docket No. 990812A

```
line 31, delete "header" and insert --header,--;
line 31, delete "is available even without a file header";
line 31, after "the" insert --data is--.
```

Page 16, line 1, delete, first occurrence "is";

```
line 1, after "code", insert - it is available even without a file header
```

```
line 1, delete "it is a" and insert --the method is--;
line 2, delete "method";
line 12, delete "edited";
line 12, after "data" and insert --edited--;
line 15, delete "edited";
line 15, after "data" and insert --edited--;
line 16, delete "using" and insert --which is edited by--;
line 17, after "procedure" and insert --and produced--;
line 24, after second occurrence of "copyright", insert --control--.
```

Page 17, line 9, delete "control".

Page 18, line 4, after "enter", insert --the copyright information--; line 14, after "document" and insert --data--;